



Modelli e descrizione	listino base IVA INCL in €	listino base IVA ESCL in €
Constellation Series - Available in Silver or Black		
Tucana II Stereo Amp (inc NEW remote)	5900	4836,07
INTEGRATED AMP		
Ultra-low distortion wide bandwidth Dual mono block design with isolated pre-amp stage, 150 wpch 8 ohms, 6 x RCA, 1 x XLR, Pre o/p, LIPS control system, independent input gain control, remote control		
Tucana Anniversary Edition Amp	7350	6024,59
INTEGRATED AMP		
As Tucana II but the "Hot rod" version with low resistance double weight copper circuit boards, Nichicon Muse capacitors, Noratel Xtraquiet transformers, hand matched transistors		
Hydra II Stereo Power Amp	5600	4590,16
POWER AMP		
The natural partner for the Pyxis or a bi-amp option for the Tucana integrated, features both RCA and XLR balanced inputs, multi-mode – dual mono – stereo – bridged, 150w pch 8 ohms / up to 785w bridged mode		
Hydra Anniversary Stereo Power Amp	7100	5819,67
POWER AMP		
As Hydra II but the "Hot rod" version with low resistance double weight copper circuit boards, Nichicon Muse capacitors, Noratel Xtraquiet transformers, hand matched transistors		
Libra High Res DAC and Pre Amp(inc NEW remote)	8800	7213,11
DAC / PRE-AMP		
Dual mono reference Quattro infinity DAC, inputs include 2 x AES/EBU(XLR) 2 x XLR 2 x RCA 3 x Opt 24 bit 44.1 – 96kHz, 3 x Coax 24 bit 44.1 – 192kHz inc DSD support 64 and 128, USB asynchronous 24 bit 44.1 – 348 kHz inc DSD 64, 128 inc DXD, Bluetooth interface, 2 XLR and 2 x RCA inputs, global volume control can act as a digital pre-amp		



Modelli e descrizione	listino base IVA INCL in €	listino base IVA ESCL in €
segue Constellation Series - Available in Silver or Black		
Pyxis Pre-Amp with MM/MC Phono stage	6490	5319,67
PRE-AMP		
Ultra-low distortion fully balanced pre-amp stage with on board DAC, 5 x RCA inputs, 2 x XLR, 1 x Coax, 1 x USB, LIPS control option allowing for the volume control to be performed inside a Hydra power amp		
Sirius Music Server - 2TB	5890	4827,87
MUSIC SERVER / CD RIPPING		
TEAC optical drive direct CD ripping, High spec reliable hard drive available in 2, 4 or 8 Terabyte options, ESS Sabre 9028 Pro DAC based audio stage, support for Tidal, Spotify, Qobuz Internet radio, UPNP/DLNA, DAC support for 16,24,32 bit audio up to 384kHz, RCA and XLR outputs including Class 1/2 USB, Full app control.		
Sirius Music Server - 4TB	6590	5401,64
As above but 4 Terabyte		
Sirius Music Server - 8TB	7890	6467,21
As above but 8 Terabyte		
Antila IIS Eco CD Player Quattro DAC (inc NEW remote)	5490	4500,00
CD		
Featuring a ultra-stable mechanism, super accurate reference clocks, a data stability of 40ps jitter (1kHz) is delivered into a Leema Quattro infinity multi DAC, 2 x RCA, 2 x XLR, 1 x SPDIF opt/coax outputs		
Agena Balanced Phono Stage	5290	4336,07
PHONO		
The perfect Phono stage...!! Infinitely flexible with 6 fully programmable cartridge loading pre-sets, RCA and Balanced inputs, vanishingly quiet by design, SPDIF digital output for Vinyl archiving		



Modelli e descrizione	listino base IVA INCL in €	listino base IVA ESCL in €
Stellar Series - Available in Silver or Black		
Quasar Amp	4390	3598,36
INTEGRATED AMP		
Dual Mono output stage up to 200w RMS 8 ohms, 2 x XLR, 3 x RCA inputs, 3 x Optical, 3 x Coax SPDIF, aptX Bluetooth , DLNA/UPnP up to 24/192, streaming services Tidal, Deezer, Spotify connect, Qobuz, vTuner		
Pulse IV Amp		
INTEGRATED AMP	3350	2745,90
80w RMS 8 ohms, 5 x RCA input, MM and MC phono stage, 3 x Optical, 3 x Coax SPDIF inputs and USB into a 32/348 kHz PCM / DSD ESS Sabre DAC the platform also supports aptX Bluetooth..		
Stream IV	3350	2745,90
CD / DIGITAL SOURCE		
The Stream returns, Sporting the robust streaming module of the Quasar and a high performance CD mechanism all coupled to a class leading D to A stage.		
Elements Series - Available in Silver or Black		
Integrated Amp	2450	2008,20
INTEGRATED AMP		
Half width full Leema performance 56w pch 8 ohms amplifier, 1 x XLR, 3 x RCA analogue inputs 3 x Opt up to 24/96, 1 x Coax SPDIF up to 24/192 and 1 x USB 24/192. Headphone output		
Power Amp	1990	1631,15
POWER AMP		
Bi-amp partner for the integrated or power amp for the pre, 56w pch power amp (210w In bridge mono mode) 1 x XLR i/p, 2 x RCA i/p's		



Modelli e descrizione	listino base IVA INCL in €	listino base IVA ESCL in €
segue Elements Series - Available in Silver or Black		
Pre-Amp	1990	1631,15
PRE-AMP		
Perfect partner for the Elements Power amp featuring 1 x XLR, 3 x RCA analogue, 3 x Opt up to 96/24 and 1 x Coax up to 24/192, USB up to 24/192. Headphone output.		
DAC	1990	1631,15
DAC		
Flexible DAC with volume reference control, featuring Quattro DAC technology in a vanishingly low jitter platform 3 x OPT input 24/96, 3 x Coax, 1 x USB all 24/192, 1 x XLR and 1 x RCA analogue outputs		
Streamer	1890	1549,18
STREAMER		
Based on the proven streaming module from Quasar and utilizing the very latest DAC from ESS-Sabre with absolute flexibility for online services Tidal, Deezer, Qobuz, vTuner and Spotify connect. All supported local content is accessible via DLNA/UPnP and USB at up to 24/192		
CD Player	1990	1631,15
CD		
Borrowing heavily on the tech from the flagship Antilla, featuring a Teac CD mechanism in a low jitter platform partnered with a Leema Quattro infinity DAC, 2 x XLR outputs , 2 x RCA, 1 x Opt and Coax SPDIF		
Ultra Phono Stage	1890	1549,18
PHONO		
The key to a great phono stage is flexibility, allowing for correct calibration for loading and gain. The Ultra has this covered along with vanishingly low noise and distortion, compatible with MM and MC cartridges plus RCA and XLR outputs.		



Modelli e descrizione	listino base IVA INCL in €	listino base IVA ESCL in €
Essentials Series - Available in Silver or Black	850	696,72
Essentials Phono Stage MM/MC		
PHONO		
Ultra-high performance entry level phono stage compatible with both MM and MC cartridge types, incredibly low noise with cartridge loading characteristics MM = 47k /100pF MC = 90 ohm / 1nF		
Accessories - Available in Silver or Black	390	319,67
Focus - Metal Remote control for Constell/ Spectr/ Elements		
REMOTE		
RS232 Interface - Available Silver Only	730	598,36
Cables and Interconnects		
Reference I	370	303,28
50 cm RCA-RCA		
1m RCA-RCA	430	352,46
50cm XLR-XLR	430	352,46
1m XLR-XLR	510	418,03
3m Pair Terminated Speaker Cable	670	549,18
5m Pair Terminated Speaker Cable	810	663,93
Reference I Speaker cable per metre extra (per pair)	130	106,56



Modelli e descrizione	listino base IVA INCL in €	listino base IVA ESCL in €
Reference II	660	540,98
50cm RCA-RCA		
1m RCA-RCA	730	598,36
50cm XLR-XLR	730	598,36
1m XLR-XLR	810	663,93
3m Pair Terminated Speaker Cable	1330	1090,16
5m Pair Terminated Speaker Cable	2220	1819,67
Reference II Speaker cable per metre extra (per pair)	410	336,07
Digital Cables		
USB cable 1m	220	180,33
Digital Optical 1m	210	172,13
50 cm Digital RCA-RCA	180	147,54
1m Digital RCA-RCA	250	204,92
All Products supplied with 3 years warranty. First user in entitled to extended Warranty (total 5 years) if they register on Leema website within 30 days. Customer Warranty only available in country of Dealer Purchase.		

Progetto Import si riserva di apportare variazioni al presente listino senza termini di preavviso.

NON E' PREVISTA LA VENDITA E L'ASSISTENZA FUORI DAL TERRITORIO ITALIANO.