












Modelli e descrizione	listino base IVA INCL in €
Constellation Series - Available in Silver or Black	
Tucana II Integrated Amplifier	6790
INTEGRATED AMP	
Ultra-low distortion wide bandwidth Dual mono block design with isolated pre-amp stage, 150 W per channel at 8 Ohms, 6 x RCA, 1 x XLR, Pre o/p, LIPS control system, independent input gain control, remote control.	
Tucana II Anniversary Integrated Amplifier	8490
INTEGRATED AMP	
As Tucana II but the "Hot rod" version with low resistance double weight copper circuit boards, Nichicon Muse capacitors, Noratel Xtraquiet transformers, hand matched transistors.	
Hydra II Stereo Power Amp	6490
POWER AMP	
The natural partner for the Pyxis or a bi-amp option for the Tucana integrated, features both RCA and XLR balanced inputs, multi-mode – dual mono – stereo – bridged, 150 W per channel at 8 Ohm / up to 785 W in bridged mode.	
Hydra II Anniversary Stereo Power Amp	8090
POWER AMP	
As Hydra II but the "Hot rod" version with low resistance double weight copper circuit boards, Nichicon Muse capacitors, Noratel Xtraquiet transformers, hand matched transistors	
Libra High Res DAC and Pre Amp	9490
DAC / PRE-AMP	
Dual mono reference Quattro infinity DAC, inputs include 2 x AES/EBU(XLR) 2 x XLR 2 x RCA 3 x Opt 24 bit 44.1 – 96kHz, 3 x Coax 24 bit 44.1 – 192 kHz incl. DSD support 64 and 128, USB asynchronous 24 bit 44.1 – 348 kHz incl. DSD 64, 128 incl. DXD, Bluetooth interface, 2 XLR and 2 x RCA inputs, global volume control can act as a digital pre-amp	






Modelli e descrizione	listino base IVA INCL in €
segue Constellation Series - Available in Silver or Black	
Antila IIS Eco CD Player Quattro DAC	6000
CD	
Featuring a ultra-stable mechanism, super accurate reference clocks, a data stability of 40ps jitter (1kHz) is delivered into a Leema Quattro infinity multi DAC, 2 x RCA, 2 x XLR, 1 x SPDIF opt/coax outputs	



Quantum Series - Available in Silver or Black	
Neutron Preamp/DAC	2430
DAC / PRE-AMP	
Solid aluminium machined front panel - Custom machine aluminium control dials - 4 x RCA inputs - 1 x XLR balanced inputs. - 3 x Optical, 3 x Coax - Asynchronous USB 24bit/192kHz PCM - Fixed level record outputs - 2 x Dedicated sub-woofer outputs - High-end Burr Brown analogue volume control - Dedicated on board headphone amplifier - Ultra high performance switchable MM/MC phono stage	
Graviton Power Amplifier	2630
POWER AMP	
Solid aluminium machined front panel - XLR and RCA input options - Stereo line outputs (for bi-amping) - Huge toroidal based power supply - 150 W per channel in to 8 Ohm - 260 W per channel in to 4 Ohm - Class A/B output stage - High Current design deploying 6 O/P transistors per CH - Dual loudspeaker terminals for easy bi-wiring - 12v power link. - Designed and manufactured in the UK - Available in brushed black or silver finishes.	



Modelli e descrizione	listino base IVA INCL in €
segue Quantum Series - Available in Silver or Black	
Electron CD Player	2330
CD	
12v Trigger link -Designed and manufactured in the UK - Available in brushed black or silver brushed aluminium -Solid aluminium machined front panel - Custom machine aluminium control dials - ESS Sabre Audio DAC ES9018-1 x Pair of XLR balanced outputs - 1 x Pair of RCA output -1 x Coax digital output - 1 x High quality headphone output - Dedicated headphone amplifier	

Elements Series - Available in Silver or Black	
Elements Integrated	2490
INTEGRATED AMP	
Half width full Leema performance 56 W per channel at 8 ohm amplifier, 1 x XLR, 3 x RCA analogue inputs, 3 x Opt up to 24/96, 1 x Coax SPDIF up to 24/192, and 1 x USB 24/192. Headphone output.	
CD Player	1990
CD	
Borrowing heavily on the tech from the flagship Antilla, featuring a Teac CD mechanism in a low jitter platform partnered with a Leema Quattro infinity DAC, 2 x XLR outputs, 2 x RCA, 1 x Opt and Coax SPDIF	
Ultra Phono Stage	1990
PHONO	
The key to a great phono stage is flexibility, allowing for correct calibration for loading and gain. The Ultra has this covered along with vanishingly low noise and distortion, compatible with MM and MC cartridges plus RCA and XLR outputs.	



Modelli e descrizione	listino base IVA INCL in €
Essentials Series - Available in Silver or Black	
Essentials Phono Stage MM/MC	850
PHONO	
Ultra-high performance entry level phono stage compatible with both MM and MC cartridge types, incredibly low noise with cartridge loading characteristics MM = 47k /100pF MC = 90 ohm / 1nF	
Accessories - Available in Silver or Black	
Leema Focus Remote Control	390
REMOTE	
Focus - Metal Remote control	

Progetto Import si riserva di apportare variazioni al presente listino senza termini di preavviso.

NON SONO PREVISTE VENDITA E/O ASSISTENZA FUORI DAL TERRITORIO ITALIANO.